

GENERATION LIGHTING

1128: 6" New Construction IC Airtight Housing



Dimensions:

Diameter: 6 3/8" **Wire:** 6 1/2" (color/Black/White)
Length: 13 1/2"
Width: 10 3/4"
Height: 7 7/8"
Weight: 2.9 lbs.

Features:

- Easily converts to LED with optional replacement lamps
- Listed for use with direct contact to insulation

Material List:

1 Housing - Steel / Aluminum - Raw Steel

Safety Listing:

Safety Listed for Damp Locations
 Safety Listed for Damp Locations

Instruction Sheets:

Bilingual (English - French) (HC-438FB)

Collection: Recessed Lighting

This IC recessed light housing features an air-tight application providing quality illumination while offering energy efficiency and lower operating costs.

Featured in the decorative Recessed Lighting collection

Bulb selection for recessed lighting depends on both the trim and housing selection; refer to the manufacturer's website for correct lamping instructions

Housing Adjustment: Housing adjusts vertically for various ceiling thicknesses.

Airtight Construction: Meets airtight requirements for 2.0 CFM or less air leakage.

Joist Tab: Tab to locate on bottom of joist.

UPC #: 785652112805

Finish: Not Applicable ()

Shipping Information:

Package Type	Product #	Quantity	UPC	Length	Width	Height	Cube	Weight	Fr. Class	UPS Ship
Individual	1128	1	785652112805	14.3	9.3	8	0.616	3.15	100	Yes
Master Pack		6	10785652112802	25.6	19.2	8.7	2.475	22	100	Yes
NJ Pallet		168		48	40	76	84.444	616		No
NV Pallet		192		48	40	76	84.444	704		No

Trim



1120-15
6" Open Trim

White Steel Trim
Maximum Wattage:
75w PAR30L
65w BR30
13.5w A19
15w PAR30L
15w PAR30L



1125-14
6" Aluminum Baffle Trim

White Trim / Baffle Aluminum Baffle
White Trim / Baffle Aluminum Trim
Maximum Wattage:
50w PAR30S
75w PAR30L
65w BR30



1126-14
6" Steel Baffle Trim

White Trim / Baffle Steel Baffle
Maximum Wattage:
75w PAR30L
65w BR30
50w PAR30S



1126-15
RECESSED TRIM

Black Steel Baffle
White Steel Trim
Maximum Wattage:
75w PAR30L
65w BR30
50w PAR30S



1133AT-15
6" Flat Glass Shower Trim

Satin White Glass Diffuser
White Plastic Trim
Maximum Wattage:
8w A19
40w A19
Suitable For Shower Light



1134-68
6" Drop Acrylic Shower Tr

White Plastic Plastic Diffuser
White Plastic Trim
Maximum Wattage:
8w A19
40w A19
Suitable For Shower Light



1135AT-15
RECESSED TRIM

Smooth White Glass Diffuser
White Steel Trim
Maximum Wattage:
8w A19
40w A19



1136-15
6" Eyeball Trim

White
White Steel Trim
Maximum Wattage:
15w PAR30L
15w BR30
75w PAR30L
65w BR30



1136AT-15
6" Eyeball Trim

White
White Steel Trim
Maximum Wattage:
15w PAR30L
15w BR30
75w PAR30L
65w BR30



1151AT-14
6" Baffle Trim

White Trim / Baffle Aluminum Trim
Maximum Wattage:
13.5w A19
50w PAR30S
75w PAR30L
90w PAR38
65w BR30
15w PAR30L
18w PAR38
15w BR30



1151AT-15
RECESSED TRIM

Black Aluminum Baffle
White Aluminum Trim
Maximum Wattage:
13.5w A19
15w PAR30L
15w BR30
18w PAR38
50w PAR30S
75w PAR30L
90w PAR38
65w BR30



1154AT-14
6" Open Cone Shower Trim

White Trim / Baffle Aluminum Baffle
White Trim / Baffle Aluminum Trim
Maximum Wattage:
13.5w A19
15w PAR30L
18w PAR38
15w BR30
90w PAR38
50w PAR30S
75w PAR30L
Suitable For Shower Light



1155AT-15

6" Fresnal Glass Shower T

Clear Glass Diffuser
White Aluminum Trim

Maximum Wattage:

8w A19

40w A19

Suitable For Shower Light